LESS DROWSY FORMULA MOTION SICKNESS RELIEF- meclizine hydrochloride tablet Salado Sales, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVP 44-403

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

- for prevention and treatment of these symptoms associated with motion sickness:
 - nausea
 - vomiting
 - dizziness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to an enlargement of the prostate gland
- a breathing problems such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• to prevent motion sickness, take the first dose one hour before starting activity

• to prevent or treat motion sickness: 1 to 2 tablets once daily for adults and children 12 years and over, or as directed by a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- used by expiration date on package

Inactive ingredients

corn starch, D&C yellow #10 aluminum lake, lactose, magnesium stearate, silica gel

Questions of comments?

1-800-426-9391

Principal Display Panel

CVP® CONSUMER VALUE PRODUCTS

COMPARE TO DRAMAMINE® LESS DROWSY FORMULA ACTIVE INGREDIENT*

LESS DROWSY FORMULA

Motion Sickness Relief

Meclizine HCl Tablets 25 mg/Antiemetic

Helps prevent Nausea and Dizziness due to Motion Sickness for up to 24 hours

12 TABLETS

TAMPER EVIDENT: Use Only if This Blister is Intact.

*This product is not manufactured or distributed by Prestige Brands, Inc., owner of the registered trademark Dramamine® Less Drowsy Formula.

50844 ORG121140302

Distributed by Salado Sales, Inc., P.O. Box 6115, Temple, Texas 76503 www.saladosales.com



Copy Free Area Lot no. & Exp. Date TAMPER EVIDENT: Use Only if This Blister is Intact

Purpose

Active ingredient (in each tablet)

Uses • for prevention and treatment of these symptoms associated with motion sickness: ■ nausea ■ vomiting ■ dizziness

Do not use for children under 12 years of age unless directed by a doctor

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product ■ drowsiness may occur ■ avoid alcoholic drinks alcohol, sedatives, and tranquilizers may increase drowsiness

be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

■ to prevent motion sickness, take the first dose one hour before starting activity
■ to prevent or treat motion sickness: 1 to 2 tablets once daily for adults and children 12 years and over, or as directed by a doctor

Other information protect from heat and humidity

store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
use by expiration date on package

Inactive ingredients corn starch, D&C yellow #10 aluminum lake, lactose, magnesium stearate

Questions or comments? 1-800-426-9391

This product is not manufactured or distributed by Prestige Brands, Inc. Dramamine® Less Drowsy Formula. Distributed by Salado Sales, Inc., P.O. Box 6115, Temple, Texas 76503 www.saladosales.com

SEALED SAFETY SA

SEALED SAFETY SEALED SAFETY SEALED SAFETY SEALED SA SEALED SAFETY SEALED SAFETY SEALED SAFETY SEALED SAFETY SEALED

SEALED SAFETY SA

Back View

CVP 44-403

LESS DROWSY FORMULA MOTION SICKNESS RELIEF

meclizine hcl tablet

Product Information

HUMAN OTC DRUG Item Code (Source) NDC:57243-403 Product Type

Route of Administration ORAL **DEA Schedule**

Active Ingredient/Active Moiety

Basis of Strength Ingredient Name Strength

MECLIZINE HYDRO CHLO RIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570) MECLIZINE HYDRO CHLO RIDE | 25 mg

Inactive Ingredients

Ingredient Name Strength D&C YELLOW NO. 10 (UNII: 35SW5USQ3G) MAGNESIUM STEARATE (UNII: 70097M6I30)

Product Characteristics

STARCH, CORN (UNII: O8232NY3SJ)

YELLOW Color Score no score

Shape	ROUND	Size	10 mm
Flavor		Imprint Code	44;403
Contains			

	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1 NDC:57243-403-02	3 in 1 CARTON		
	1	4 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part336	06/24/2002	

Labeler - Salado Sales, Inc. (009830555)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(57243-403)

Establishment				
Name	Address	ID/FEI	Business Operations	
LNK International, Inc.		832867894	MANUFACTURE(57243-403)	

Revised: 9/2015 Salado Sales, Inc.